



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification <sup>7</sup> : C07J 1/00, A61K 31/565, C07J 21/00</p>	A1	<p>(11) International Publication Number: <b>WO 00/31112</b></p> <p>(43) International Publication Date: 2 June 2000 (02.06.00)</p>
<p>(21) International Application Number: PCT/EP99/09053</p> <p>(22) International Filing Date: 18 November 1999 (18.11.99)</p> <p>(30) Priority Data: 98203914.1 20 November 1998 (20.11.98) EP</p> <p>(71) Applicant (for all designated States except US): AKZO NOBEL N.V. [NL/NL]; Velperweg 76, NL-6824 BM Arnhem (NL).</p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): <u>LOOZEN</u>, Hubert, Jan, Jozef [NL/NL]; Meerhoek 602, NL-5403 AC Uden (NL). <u>SCHOONEN</u>, Wilhelmus, Gerardus, Eduardus, Joseph [NL/NL]; Parklaan 16, NL-5345 BV Oss (NL).</p> <p>(74) Agent: KRAAK, H.; P.O. Box 20, NL-5340 BH Oss (NL).</p>		<p>(81) Designated States: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ZA, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>
<p>(54) Title: <u>ESTROGENIC ESTRA-1,3,5(10)-TRIENES WITH DIFFERENTIAL EFFECTS ON THE ALPHA AND BETA ESTROGEN RECEPTORS, HAVING A LINEAR HYDROCARBON CHAIN OF FROM 5-9 CARBON ATOMS IN POSITION 11</u></p>		
<p>(57) Abstract</p> <p>Disclosed is a novel class of steroid compounds based on estradiol, and carrying an 11<math>\beta</math>- substitution. Said substitution is a hydrocarbon group which may be linear or branched, provided that it comprises, as the longest chain on carbon atom no. 11 of the steroid skeleton, one single linear chain having a length of from 5 to 9 carbon atoms, wherein said chain may be saturated or unsaturated. The resulting compounds have a desirable mixed agonist/antagonist profile for estrogen receptor <math>\alpha</math> and estrogen receptor <math>\beta</math>.</p>		